

中华人民共和国国家知识产权局
STATE INTELLECTUAL PROPERTY OFFICE
OF THE PEOPLE'S REPUBLIC OF CHINA



证 明

CERTIFICATE

本证明之附件是向中国专利局作为受理局提交的下列国际申请副本
THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY OF THE BELOW
IDENTIFIED INTERNATIONAL APPLICATION THAT WAS FILED WITH THE
CHINESE PATENT OFFICE AS RECEIVING OFFICE

国际申请号: PCT/CN2006/000545

INTERNATIONAL APPLICATION NUMBER

国际申请日: 29. MAR 2006 (29. 03. 2006)

INTERNATIONAL FILING DATE

发明名称: OPTIMIZATION OF NETWORK PROTOCOL OPTIONS BY
REINFORCEMENT LEARNING AND PROPAGATION

OF INVENTION

CERTIFIED COPY OF
PRIORITY DOCUMENT

中华人民共和国国家知识产权局局长

COMMISSIONER OF THE STATE INTELLECTUAL PROPERTY
OFFICE OF THE PEOPLE'S REPUBLIC OF CHINA

二零零六年八月十五日

AUGUST 15, 2006

HOME COPY PCT

REQUEST

The undersigned requests that the present international application be processed according to the Patent Cooperation Treaty.

For receiving Office use only	
PCT/CN 2006 / 0 0 0 5 4 5	
International Application No.	
29 · MAR 2006 (29 · 03 · 2006)	
International Filing Date	
<div style="border: 1px solid black; padding: 2px;"> RO/CN 中华人民共和国国家知识产权局 PCT International Application </div>	
Name of receiving Office and "PCT International Application"	
Applicant's or agent's file reference (if desired) (12 characters maximum) FPEL06150019	

Box No. I TITLE OF INVENTION OPTIMIZATION OF NETWORK PROTOCOL OPTIONS BY REINFORCEMENT LEARNING AND PROPAGATION	
Box No. II APPLICANT <input type="checkbox"/> This person is also inventor	
Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.) INTEL CORPORATION 2200 Mission College Blvd. Santa Clara, California 95052 United States of America	
Telephone No. Facsimile No. Teleprinter No. Applicant's registration No. with the Office	
State (that is, country) of nationality: US	State (that is, country) of residence: US
This person is applicant for the purposes of: <input type="checkbox"/> all designated States <input checked="" type="checkbox"/> all designated States except the United States of America <input type="checkbox"/> the United States of America only <input type="checkbox"/> the States indicated in the Supplemental Box	
Box No. III FURTHER APPLICANT(S) AND/OR (FURTHER) INVENTOR(S)	
Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.) LI, Cong 34#301 Jinghui Block 1, Jinghui Road, Shanghai 201103 P. R. of China	
This person is: <input type="checkbox"/> applicant only <input checked="" type="checkbox"/> applicant and inventor <input type="checkbox"/> inventor only (If this check-box is marked, do not fill in below.) Applicant's registration No. with the Office	
State (that is, country) of nationality: CN	State (that is, country) of residence: CN
This person is applicant for the purposes of: <input type="checkbox"/> all designated States <input type="checkbox"/> all designated States except the United States of America <input checked="" type="checkbox"/> the United States of America only <input type="checkbox"/> the States indicated in the Supplemental Box	
<input checked="" type="checkbox"/> Further applicants and/or (further) inventors are indicated on a continuation sheet.	
Box No. IV AGENT OR COMMON REPRESENTATIVE; OR ADDRESS FOR CORRESPONDENCE	
The person identified below is hereby/has been appointed to act on behalf of the applicant(s) before the competent International Authorities as: <input checked="" type="checkbox"/> agent <input type="checkbox"/> common representative	
Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country.) China Patent Agent (H.K.) Ltd. 22/F, Great Eagle Centre 23 Harbour Road, Wanchai Hong Kong Special Administrative Region The People's Republic of China	
Telephone No. (852)28284688 Facsimile No. (852)28271018 Teleprinter No. Agent's registration No. with the Office	
<input type="checkbox"/> Address for correspondence: Mark this check-box where no agent or common representative is/has been appointed and the space above is used instead to indicate a special address to which correspondence should be sent.	

CONFIRMATION COPY

Continuation of Box No. III FURTHER APPLICANT(S) AND/OR (FURTHER) INVENTOR(S)	
<i>If none of the following sub-boxes is used, this sheet should not be included in the request.</i>	
Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.) XU, Wenbin #69-601 300 Nong Pingyang Road, Shanghai 201102 P. R. of China	This person is: <input type="checkbox"/> applicant only <input checked="" type="checkbox"/> applicant and inventor <input type="checkbox"/> inventor only (If this check-box is marked, do not fill in below.) Applicant's registration No. with the Office
State (that is, country) of nationality: CN	State (that is, country) of residence: CN
This person is applicant for the purposes of: <input type="checkbox"/> all designated States <input type="checkbox"/> all designated States except the United States of America <input checked="" type="checkbox"/> the United States of America only <input type="checkbox"/> the States indicated in the Supplemental Box	
Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)	This person is: <input type="checkbox"/> applicant only <input type="checkbox"/> applicant and inventor <input type="checkbox"/> inventor only (If this check-box is marked, do not fill in below.) Applicant's registration No. with the Office
State (that is, country) of nationality:	State (that is, country) of residence:
This person is applicant for the purposes of: <input type="checkbox"/> all designated States <input type="checkbox"/> all designated States except the United States of America <input type="checkbox"/> the United States of America only <input type="checkbox"/> the States indicated in the Supplemental Box	
Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)	This person is: <input type="checkbox"/> applicant only <input type="checkbox"/> applicant and inventor <input type="checkbox"/> inventor only (If this check-box is marked, do not fill in below.) Applicant's registration No. with the Office
State (that is, country) of nationality:	State (that is, country) of residence:
This person is applicant for the purposes of: <input type="checkbox"/> all designated States <input type="checkbox"/> all designated States except the United States of America <input type="checkbox"/> the United States of America only <input type="checkbox"/> the States indicated in the Supplemental Box	
Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)	This person is: <input type="checkbox"/> applicant only <input type="checkbox"/> applicant and inventor <input type="checkbox"/> inventor only (If this check-box is marked, do not fill in below.) Applicant's registration No. with the Office
State (that is, country) of nationality:	State (that is, country) of residence:
This person is applicant for the purposes of: <input type="checkbox"/> all designated States <input type="checkbox"/> all designated States except the United States of America <input type="checkbox"/> the United States of America only <input type="checkbox"/> the States indicated in the Supplemental Box	
Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)	This person is: <input type="checkbox"/> applicant only <input type="checkbox"/> applicant and inventor <input type="checkbox"/> inventor only (If this check-box is marked, do not fill in below.) Applicant's registration No. with the Office
State (that is, country) of nationality:	State (that is, country) of residence:
This person is applicant for the purposes of: <input type="checkbox"/> all designated States <input type="checkbox"/> all designated States except the United States of America <input type="checkbox"/> the United States of America only <input type="checkbox"/> the States indicated in the Supplemental Box	
<input type="checkbox"/> Further applicants and/or (further) inventors are indicated on another continuation sheet.	

Box No. V DESIGNATIONS

The filing of this request constitutes under Rule 4.9(a), the designation of all Contracting States bound by the PCT on the international filing date, for the grant of every kind of protection available and, where applicable, for the grant of both regional and national patents.

However,

- ☐ DE Germany is not designated for any kind of national protection
- ☐ KR Republic of Korea is not designated for any kind of national protection
- ☐ RU Russian Federation is not designated for any kind of national protection

(The check-boxes above may be used to exclude (irrevocably) the designations concerned in order to avoid the ceasing of the effect, under the national law, of an earlier national application from which priority is claimed. See the Notes to Box No. V as to the consequences of such national law provisions in these and certain other States.)

Box No. VI PRIORITY CLAIM

The priority of the following earlier application(s) is hereby claimed:

Filing date of earlier application (day/month/year)	Number of earlier application	Where earlier application is:		
		national application: country or Member of WTO	regional application:* regional Office	international application: receiving Office
item (1)				
item (2)				
item (3)				

- ☐ Further priority claims are indicated in the Supplemental Box.

The receiving Office is requested to prepare and transmit to the International Bureau a certified copy of the earlier application(s) *(only if the earlier application was filed with the Office which for the purposes of this international application is the receiving Office)* identified above as:

- ☐ all items ☐ item (1) ☐ item (2) ☐ item (3) ☐ other, see Supplemental Box

* Where the earlier application is an ARIPO application, indicate at least one country party to the Paris Convention for the Protection of Industrial Property or one Member of the World Trade Organization for which that earlier application was filed (Rule 4.10(b)(ii)):

Box No. VII INTERNATIONAL SEARCHING AUTHORITY

Choice of International Searching Authority (ISA) *(if two or more International Searching Authorities are competent to carry out the international search, indicate the Authority chosen; the two-letter code may be used):*

ISA / CN

Request to use results of earlier search; reference to that search *(if an earlier search has been carried out by or requested from the International Searching Authority):*

Date (day/month/year) Number Country (or regional Office)

Box No. VIII DECLARATIONS

The following declarations are contained in Boxes Nos. VIII (i) to (v) *(mark the applicable check-boxes below and indicate in the right column the number of each type of declaration):*

Number of
declarations

- | | | |
|---|--|---|
| <input type="checkbox"/> Box No. VIII (i) | Declaration as to the identity of the inventor | : |
| <input type="checkbox"/> Box No. VIII (ii) | Declaration as to the applicant's entitlement, as at the international filing date, to apply for and be granted a patent | : |
| <input type="checkbox"/> Box No. VIII (iii) | Declaration as to the applicant's entitlement, as at the international filing date, to claim the priority of the earlier application | : |
| <input type="checkbox"/> Box No. VIII (iv) | Declaration of inventorship (only for the purposes of the designation of the United States of America) | : |
| <input type="checkbox"/> Box No. VIII (v) | Declaration as to non-prejudicial disclosures or exceptions to lack of novelty | : |

Box No. IX CHECK LIST; LANGUAGE OF FILING

This international application contains:		This international application is accompanied by the following item(s) (mark the applicable check-boxes below and indicate in right column the number of each item):		Number of items
(a) in paper form, the following number of sheets:				
request (including declaration sheets)	: 4	1. <input checked="" type="checkbox"/> fee calculation sheet		: 1
description (excluding sequence listing and/or tables related thereto)	: 16	2. <input checked="" type="checkbox"/> original separate power of attorney		: 1
claims	: 5	3. <input type="checkbox"/> original general power of attorney		:
abstract	: 1	4. <input type="checkbox"/> copy of general power of attorney; reference number, if any:		:
drawings	: 5	5. <input type="checkbox"/> statement explaining lack of signature		:
Sub-total number of sheets	: 31	6. <input type="checkbox"/> priority document(s) identified in Box No. VI as item(s):		:
sequence listing	:	7. <input type="checkbox"/> translation of international application into (language):		:
tables related thereto	:	8. <input type="checkbox"/> separate indications concerning deposited microorganism or other biological material		:
(for both, actual number of sheets if filed in paper form, whether or not also filed in computer readable form; see (c) below)		9. <input type="checkbox"/> sequence listing in computer readable form (indicate type and number of carriers)		:
Total number of sheets	: 31	(i) <input type="checkbox"/> copy submitted for the purposes of international search under Rule 13ter only (and not as part of the international application)		:
(b) <input type="checkbox"/> only in computer readable form (Section 801(a)(i))		(ii) <input type="checkbox"/> (only where check-box (b)(i) or (c)(i) is marked in left column) additional copies including, where applicable, the copy for the purposes of international search under Rule 13ter		:
(i) <input type="checkbox"/> sequence listing		(iii) <input type="checkbox"/> together with relevant statement as to the identity of the copy or copies with the sequence listing mentioned in left column		:
(ii) <input type="checkbox"/> tables related thereto		10. <input type="checkbox"/> tables in computer readable form related to sequence listing (indicate type and number of carriers)		:
(c) <input type="checkbox"/> also in computer readable form (Section 801(a)(ii))		(i) <input type="checkbox"/> copy submitted for the purposes of international search under Section 802(b-quater) only (and not as part of the international application)		:
(i) <input type="checkbox"/> sequence listing		(ii) <input type="checkbox"/> (only where check-box (b)(ii) or (c)(ii) is marked in left column) additional copies including, where applicable, the copy for the purposes of international search under Section 802(b-quater)		:
(ii) <input type="checkbox"/> tables related thereto		(iii) <input type="checkbox"/> together with relevant statement as to the identity of the copy or copies with the tables mentioned in left column		:
Type and number of carriers (diskette, CD-ROM, CD-R or other) on which are contained the		11. <input type="checkbox"/> other (specify):		:
<input type="checkbox"/> sequence listing:				
<input type="checkbox"/> tables related thereto:				
(additional copies to be indicated under items 9(ii) and/or 10(ii), in right column)				

Figure of the drawings which should accompany the abstract:

Language of filing of the international application: EN

Box No. X SIGNATURE OF APPLICANT, AGENT OR COMMON REPRESENTATIVE

Next to each signature, indicate the name of the person signing and the capacity in which the person signs (if such capacity is not obvious from reading the request).



For receiving Office use only

1. Date of actual receipt of the purported international application: 29 · MAR 2006 (29 · 03 · 2006)	2. Drawings: <input type="checkbox"/> received: <input type="checkbox"/> not received:
3. Corrected date of actual receipt due to later but timely received papers or drawings completing the purported international application:	
4. Date of timely receipt of the required corrections under PCT Article 11(2):	
5. International Searching Authority (if two or more are competent): ISA /	6. <input type="checkbox"/> Transmittal of search copy delayed until search fee is paid

For International Bureau use only

Date of receipt of the record copy by the International Bureau:

This sheet is not part of and does not count as a sheet of the international application.

PCT

FEE CALCULATION SHEET

Annex to the Request

For receiving Office use only

PCT/CN 2006 / 0 0 0 5 4 5

International Application No.

29 · MAR 2006 (2 9 · 0 3 · 2 0 0 6)

Date stamp of the receiving Office

Applicant's or agent's
file reference

FPEL06150019

Applicant

INTEL CORPORATION etc.

CALCULATION OF PRESCRIBED FEES

1. TRANSMITTAL FEE

CNY500

T

CNY500.1

2. SEARCH FEE

CNY2100

S

CNY2100.1

International search to be carried out by

CN

(If two or more International Searching Authorities are competent to carry out the international search, indicate the name of the Authority which is chosen to carry out the international search.)

3. INTERNATIONAL FILING FEE

Where items (b) and/or (c) of Box No. IX apply, enter Sub-total number of sheets } 31
Where items (b) and (c) of Box No. IX do not apply, enter Total number of sheets }

i1 first 30 sheets

CHF1400

i1

CHF1400.1

i2

1

x

CHF15

=

CHF15

i2

number of sheets
in excess of 30

fee per sheet

CHF15.1

i3

additional component (only if sequence listing and/or tables related thereto are filed in computer readable form under Section 801(a)(i), or both in that form and on paper, under Section 801(a)(ii)):

400 x

fee per sheet

i3

CHF1415

I

CHF1415.1

Add amounts entered at i1, i2 and i3 and enter total at I

(Applicants from certain States are entitled to a reduction of 75% of the international filing fee. Where the applicant is (or all applicants are) so entitled, the total to be entered at I is 25% of the international filing fee.)

4. FEE FOR PRIORITY DOCUMENT (if applicable)

P

CNY2600.1

5. TOTAL FEES PAYABLE

Add amounts entered at T, S, I and P, and enter total in the TOTAL box

CNY2600CHF1415

TOTAL

CHF1415.1

MODE OF PAYMENT

☒ authorization to charge
deposit account (see below)

☐ postal money order

☒ cash

☐ coupons

☐ cheque

☐ bank draft

☐ revenue stamps

☐ other (specify):

AUTHORIZATION TO CHARGE (OR CREDIT) DEPOSIT ACCOUNT

(This mode of payment may not be available at all receiving Offices)

☒ Authorization to charge the total fees indicated above.

☒ (This check-box may be marked only if the conditions for deposit accounts of the receiving Office so permit) Authorization to charge any deficiency or credit any overpayment in the total fees indicated above.

☒ Authorization to charge the fee for priority document.


Receiving Office: RO/ CN

Deposit Account No.

Date:

Name:

Signature:





**OPTIMIZATION OF NETWORK PROTOCOL OPTIONS BY REINFORCEMENT
LEARNING AND PROPAGATION**

FIELD OF THE INVENTION


[0001] The embodiments of the invention relate generally to the field of network communication and, more specifically, relate to optimization of network protocol options by reinforcement learning and propagation.

BACKGROUND

[0002] Trivial file transfer protocol (TFTP) is a simple user datagram protocol (UDP)-based file transfer program that is frequently used in pre-boot environments. For example, TFTP is widely used in image provisioning to allow diskless hosts to boot over the network.

[0003] TFTP provides extensive options, such as block size of data packets and multicast provisioning, which may be applied in order to achieve better performance. For instance, a larger value block size may result in better transfer performance (e.g., a session with the block size of 32KB results in a 700% increased performance gain over a session with the block size of 512B in certain 100Mbps environments). Multicasting enables simultaneous provisioning to multiple clients.

[0004] When a TFTP server receives requests from clients, simple




negotiations are conducted in which the TFTP server may select appropriate option values as responses. After the negotiation, TFTP sessions are created and the files are transferred according to the selected options of the sessions. However, TFTP option selection presents problems in the area of optimizing and propagation of these options in different network environments for performance enhancement. The effectiveness of the TFTP options is highly dependent on the specific network environments. Some affecting factors on performance include, but are not limited to: network topology, switches and their configurations, network drivers, and implementation of the TFTP clients.

[0005] In some cases, TFTP options that could lead to high performance in some environments may be risky in other environments, possibly even causing failures. One example is that a single session of a block size of 32KB may fail on one type of switch, while a block size of 16KB may succeed on the same switch with acceptable performance. Another example is that a single multicast session of a block size of 32KB on an older driver version of a certain Ethernet adapter in a 1Gbps environment may fail, while reducing the block size or replacing an updated version of the driver will succeed. These issues become more serious when the environments are complicated.

[0006] For instance, complicated environments may include



infrastructures having connectors with hubs, a mix of both 1Gbps connections and 100Mbps connections, implementations of UDP multicast of different switches, multiple sessions occurring simultaneously but starting and ending at different times, specific TFTP clients not perfectly implemented due to pre-boot limitations, etc. There are no obvious rules or guidelines that uniformly work in these different environments. Therefore, under current TFTP implementations, it is difficult for a TFTP server to make optimal decisions during option negotiation that can both achieve a high performance and ensure success of a file transfer.



BRIEF DESCRIPTION OF THE DRAWINGS

[0007] The invention will be understood more fully from the detailed description given below and from the accompanying drawings of various embodiments of the invention. The drawings, however, should not be taken to limit the invention to the specific embodiments, but are for explanation and understanding only.

[0008] Figure 1 is a block diagram of one embodiment of an exemplary network system to perform embodiments of the invention;

[0009] Figure 2 is a block diagram of one embodiment of a network environment for providing optimal option selection for trivial file transfer protocol (TFTP);

[0010] Figure 3 is a block diagram of one embodiment of an application of option optimization using reinforcement learning;

[0011] Figure 4 is a flow diagram depicting a method of one embodiment of the invention; and

[0012] Figure 5 illustrates a block diagram of one embodiment of an electronic system to perform various embodiments of the invention.




DETAILED DESCRIPTION

[0013] An apparatus and method for optimization of network protocol options by reinforcement learning and propagation are disclosed. Reference in the specification to "one embodiment" or "an embodiment" means that a particular feature, structure, or characteristic described in connection with the embodiment is included in at least one embodiment of the invention. The appearances of the phrase "in one embodiment" in various places in the specification are not necessarily all referring to the same embodiment.

[0014] In the following description, numerous details are set forth. It will be apparent, however, to one skilled in the art, that the embodiments of the invention may be practiced without these specific details. In other instances, well-known structures and devices are shown in block diagram form, rather than in detail, in order to avoid obscuring the invention.

[0015] Embodiments of the present invention describe a method and respective circuit for optimization of network protocol options by reinforcement learning and propagation. More specifically, embodiments of the invention provide a novel approach to trivial file transfer protocol (TFTP) option negotiation and selection using reinforcement learning and propagation.

[0016] Figure 1 is a block diagram illustrating one embodiment of an



exemplary network system to perform embodiments of the invention.

System 100 includes a TFTP server 110, a network 120, and a client 130.

TFTP server 110 may listen over network 120 for connection requests from client 130. Client 130 may make a connection to the TFTP server 110. Once connected, client 130 and TFTP sever 1100 may communicate via the TFTP.

For instance, client 130 may do a number of file manipulation operations such as uploading files to the TFTP server 110, download files to the TFTP server 110, and so on. In other embodiments, one skilled in the art will appreciate that a server other than a TFTP server communicating via the TFTP (e.g., FTP server) may be utilized.

[0017] Additionally, TFTP server 110 and client 130 may further enter into option negotiations. During option negotiations, options to enhance and modify the functionality of the TFTP may be selected and enacted between the TFTP server 110 and client 130. Embodiments of the invention provide a novel approach for the optimum selection of protocol options during option negotiation by using reinforcement learning and propagation.

[0018] Figure 2 is a block diagram illustrating one embodiment of a system 200 for providing optimal option selection for TFTP. In one embodiment, a TFTP server 210 interacts with an environment 230 using a trial-and-error strategy by providing different options. In one embodiment, the environment 230 includes a file transfer component 240 of the TFTP



server 210, along with a network environment 235 (switches, network drivers, etc.) and one or more TFTP clients 220. The option negotiation component 215 of TFTP server 210 is outside of and interacts with the environment 230.

[0019] In one embodiment, the TFTP server 210 receives performance feedback for the different options as rewards, and improves its decision-making policy for option negotiation based on these past experiences and resulting rewards. In some embodiments, the TFTP server 210 may optionally upload the decision-making policy along with the observed configurations of the specific environment to a centralized place (e.g., an electronic library). Other TFTP servers 210 may then download the resources and use the policy for the most similar environment to start their own trial-and-error learning process. In some embodiments, option negotiation via a decision-making process in uncertain environments is accomplished by applying a Q-learning method.

[0020] In one embodiment, an option negotiation component 215 of the TFTP server 210 may be utilized as an intelligent agent that interacts with the environment 230. The option negotiation component 215 provides the trial options for various environments 230 and receives the rewards as feedback. The option negotiation component 215 then utilized reinforcement learning to come to the optimal option selection for any



particular environment 230.

[0021] In some embodiments, the option negotiation component 215 may be in a certain state s_t at a time t . The state is used to describe the specific status of the current system, namely the pending file transfer requests and existing transfer sessions along with the options of the sessions. State transitions may occur whenever a new request is received, new sessions are created, or old sessions are ended.

[0022] At state s_t , the option negotiation component 215 may choose an action a_t from the action set allowed in the state $D(s_t)$. For most of the states where there are no pending file transfer requests, only a null action is allowed. For the states where there are new file transfer requests, the action set includes all of the legal options the TFTP server 210 may respond with. At each time step t , a reward r_t is received describing the utility that the option negotiation component 215 obtains. In some embodiments, a reward may refer to the data transferred at that time plus any penalties incurred, such as those caused by a timeout, session failure, etc.

[0023] In one embodiment, the state transitions are assumed to depend on the action probabilistically according to an unknown distribution $P(s_{t+1} | s_t, a_t)$ of the specific network environment. The rewards are assumed to depend on the state the agent resides and the action it takes probabilistically according to an unknown distribution $P(r_{t+1} | s_t, a_t, s_{t+1})$ of the



specific network environment.

[0024] The goal of the option negotiation component 215 is to decide appropriate actions to maximize the performance of a file transfer, i.e., to choose appropriate actions to maximize the discounted returns during an infinite long run. This may be demonstrated as:

$$r^{(t)} = \lim_{T \rightarrow \infty} \sum_{\tau=0}^T \gamma^{\tau} r_{t+\tau}.$$

[0025] In one embodiment, in order to resolve the problem, a Q-function may be introduced that is the expected return of an action a at a state s with respect to a policy π as:

$$Q^{\pi}(s, a) = E_{\pi}(R^{(t)} | S_t = s) = E_{\pi}\left(\sum_{\tau=t+1}^{\infty} \gamma^{\tau-t-1} R_{\tau} | S_t = s, A_t = a\right),$$

The policy π denotes the probability distribution of choosing actions at the various states. Capital letters, such as S, A , are used to denote the random variables, and lower case letters, such as s, a , are used to denote the value of the random variables.

[0026] The Q-function of the optimal policy π^* satisfies the following Bellman optimal equation:

$$Q^*(s, a) = \sum_{s'} P_{ss'}^a [R_{ss'}^a + \gamma \max_{a'} Q^*(s', a')],$$

where,

$$P_{ss'}^a = P(S_{t+1} = s' | S_t = s, A_t = a),$$



and,

$$R_{s'}^a = E(R_{t+1} | S_t = s, A_t = a, S_{t+1} = s') = \sum_{r_{t+1}} r_{t+1} P(R_{t+1} = r_{t+1} | S_t = s, A_t = a, S_{t+1} = s').$$

[0027] The Q-learning algorithm is a standard approach of reinforcement learning that iteratively calculates the value functions of the optimal policy. Under the Q-learning algorithm, let $\hat{Q}^*(s, a)$ denote the estimated Q function of the optimal policy. These values may then either be stored as a lookup table, or approximated by functions $h(s, a, w)$ with w as parameters (e.g., a linear function of features implied in the states s and the actions a , or more sophisticated function approximators).

[0028] In one embodiment, the Q-learning algorithm works as follows:

1. Initialize $\hat{Q}^*(s, a)$.
2. $t \leftarrow 0, k \leftarrow 1$, start from s_0 .
3. Select an action a_t according the distribution

$$P(A_t = a_t | S_t = s_t) \propto k^{\hat{Q}^*(s_t, a_t)},$$

and transit to the state s_{t+1} , and receive the immediate reward r_{t+1} .

4. Update the estimated Q function with a sample backup strategy for the Bellman optimal equation

$$\hat{Q}^*(s_t, a_t) \leftarrow \hat{Q}^*(s_t, a_t) + \alpha [r_{t+1} + \gamma \max_{a_{t+1}} \hat{Q}^*(s_{t+1}, a_{t+1}) - \hat{Q}^*(s_t, a_t)].$$

5. Increase k and $t \leftarrow t+1$.



6. If the terminate condition is not met, go back to step 2.

7. Optionally retrieve the configurations of the environment and upload the policy (estimated Q function) to a centralized environment.

[0029] Figure 3 is a block diagram of one embodiment of the application of option optimization using reinforcement learning, such as the Q-learning algorithm, in a system 300. The components of system 300 interact together to utilize various embodiments of the invention. The components of system 300 include an option provider 310, a file transfer component 320, and a Q-function update component. In one embodiment, these components are included as part of TFTP server 210, described with respect to Figure 2.

[0030] In one embodiment, option provider 310 receives file transfer requests. Option provider may associate the environment of the file transfer requests with, for example, Q values related to a Q-learning algorithm. Option provider 310 may then select options for the environment based on the Q values. These selected options, as well as the file transfer requests, are sent to the file transfer component 320.

[0031] File transfer component 320, in turn, transfers data associated with the file transfer requests. File transfer component 320 also sends feedback, or rewards, to Q function update component 330. Q function update component may modify its Q values that is provides to option

provider 310 based on the rewards received from file transfer component 320.

[0032] In some embodiments, the components of system 300 utilize a Q-learning algorithm, such as that described above. In the initialization stage (e.g., step 1) of the above algorithm, the initial Q function values may be randomized if there is no further information available. However, if the server is able to download resources from the centralized environment, the server may select the policy of the most similar environment by comparing the observed configurations to initialize the Q function.

[0033] When the values of the estimated Q function are stored with a lookup table, the estimated Q function converges to the values of the optimal policy when the parameters are controlled in an appropriate manner. The action selected in step 2 of the algorithm, may be optimal when k gets larger after a certain number of iterations.

[0034] Figure 4 is a flow diagram illustrating a method of one embodiment of the invention. Process 400 provides a method for optimization of network protocol options with reinforcement learning and propagation. The process 400 begins at processing block 410 where a learning component of a TFTP server interacts with clients, as well as with the environment, by conducting different trials of various TFTP options in different states. Then, at processing block 420, the learning component of



the TFTP server receives performance feedback for these trials as rewards.

[0035] At processing block 430, the learning component of the TFTP server utilizes the past trials and resulting rewards to improve its decision-making policy for option negotiation. In some embodiments, a reinforcement learning algorithm is used to improve the decision-making policy. In one embodiment, the reinforcement algorithm may be a Q-learning algorithm.

[0036] At processing block 440, the learned policies for various option implementation decisions are uploaded, along with the observed configurations of the environment, to a centralized place (e.g., an electronic library). Then, at processing block 450, other TFTP servers may then download the resources and use the policy of the most similar environment as the initial point to start a new learning process in their environments.

[0037] One skilled in the art will appreciate the embodiments of the present invention may be applied to communication protocols other than TFTP, and the present descriptions are not intended to limit the application of the various embodiments to solely TFTP.

[0038] In some embodiments, components of the TFTP server or other clients may utilize various electronic systems to perform embodiments of the invention. The electronic system 500 illustrated in Figure 5 is intended to represent a range of electronic systems, for example, computer systems,



network access devices, etc. Alternative systems, whether electronic or non-electronic, can include more, fewer and/or different components.

[0039] Electronic system 500 includes bus 501 or other communication device to communicate information, and processor 502 coupled to bus 501 to process information. In one embodiment, one or more lines of bus 501 are optical fibers that carry optical signals between components of electronic system 500. One or more of the components of electronic system 500 having optical transmission and/or optical reception functionality can include an optical modulator and bias circuit as described in embodiments of the invention.

[0040] While electronic system 500 is illustrated with a single processor, electronic system 500 can include multiple processors and/or co-processors. Electronic system 500 further includes random access memory (RAM) or other dynamic storage device 504 (referred to as memory), coupled to bus 501 to store information and instructions to be executed by processor 502. Memory 504 also can be used to store temporary variables or other intermediate information during execution of instructions by processor 502.

[0041] Electronic system 500 also includes read only memory (ROM) and/or other static storage device 506 coupled to bus 501 to store static information and instructions for processor 502. Data storage device 507 is ,



coupled to bus 501 to store information and instructions. Data storage device 507 such as a magnetic disk or optical disc and corresponding drive can be coupled to electronic system 500.

[0042] Electronic system 500 can also be coupled via bus 501 to display device 521, such as a cathode ray tube (CRT) or liquid crystal display (LCD), to display information to a computer user. Alphanumeric input device 522, including alphanumeric and other keys, is typically coupled to bus 501 to communicate information and command selections to processor 502. Another type of user input device is cursor control 523, such as a mouse, a trackball, or cursor direction keys to communicate direction information and command selections to processor 502 and to control cursor movement on display 521. Electronic system 500 further includes network interface 530 to provide access to a network, such as a local area network.


[0043] Instructions are provided to memory from a storage device, such as magnetic disk, a read-only memory (ROM) integrated circuit, CD-ROM, DVD, via a remote connection (e.g., over a network via network interface 530) that is either wired or wireless providing access to one or more electronically-accessible media, etc. In alternative embodiments, hard-wired circuitry can be used in place of or in combination with software instructions. Thus, execution of sequences of instructions is not limited to any specific combination of hardware circuitry and software instructions.



[0044] Embodiments of the invention provide numerous advantages over prior art solutions, including: (1) dynamically deciding TFTP option to optimize the network performance according to the environment; (2) adaptive, self-learning approach for option optimization; and (3) information propagation of learned strategies in different environments for future reuse.

[0045] In addition, embodiments of the invention provide a self-learning, self-adapting, and self-distributing system seamlessly integrated into standard TFTP without impacting current protocol options and capabilities. One skilled in the art will appreciate that embodiments of the invention may potentially be applied to other network transportation protocols, such as file transfer protocol (FTP).


[0046] Whereas many alterations and modifications of the present invention will no doubt become apparent to a person of ordinary skill in the art after having read the foregoing description, it is to be understood that any particular embodiment shown and described by way of illustration is in no way intended to be considered limiting. Therefore, references to details of various embodiments are not intended to limit the scope of the claims, which in themselves recite only those features regarded as the invention.



CLAIMS

What is claimed is:

1. A method, comprising:
 - interacting by a learning component of a server of a network with one or more clients and an environment of the network;
 - conducting by the learning component different trials of one or more options in different states for network communication via a protocol of the network;
 - receiving, by the learning component, performance feedback for the different trials as rewards; and
 - utilizing by the learning component the different trials and associated resulting rewards to improve a decision-making policy associated with the server for negotiation of the one or more options.
2. The method of claim 1, further comprising uploading by the learning component an optimum set of options based on the different trials and rewards and observed configurations of the environment associated with the optimum set of options to a centralized place.
3. The method of claim 2, wherein one or more other servers download from the centralized place the optimum set of options to utilize as an initial



point to start a new learning process in the environment of the one or more other servers.

4. The method of claim 1, wherein the option negotiation component applies a reinforcement learning algorithm to improve the decision-making policy associated with the server for negotiation of the one or more options.
5. The method of claim 4, wherein the reinforcement algorithm utilizes a Q-learning method.
6. The method of claim 5, wherein the Q-learning algorithm iteratively calculates value functions of an optimal policy for option selection by the option negotiation component.
7. The method of claim 1, wherein the option negotiation component is part of a trivial file transfer protocol (TFTP) server.
8. An apparatus, comprising:
an option negotiation component to select one or more options for a communication protocol, receive rewards as performance feedback associated with the selection of the one or more options, and adjust the selection of the one or more options based on the rewards; and



a file transfer component to transfer a file utilizing an optimum set of the one or more options selected by the option negotiation component based on the rewards and adjusted selections.


9. The apparatus of claim 8, wherein the option negotiation component applies a reinforcement learning algorithm that determines the one or more options to select, the performance feedback for the selection, and the adjustment of the selection.

10. The apparatus of claim 9, wherein the reinforcement algorithm utilizes a Q-learning algorithm.

11. The apparatus of claim 10, wherein the Q-learning algorithm iteratively calculates value functions of an optimal policy for option selection by the option negotiation component.

12. The apparatus of claim 8, wherein the option negotiation component and the file transfer component are components of a trivial file transfer protocol (TFTP) server.

13. The apparatus of claim 8, wherein the option selection component further to upload the optimum set of options and associated configurations of an environment associated with the optimum set of options to a centralized place.



14. The apparatus of claim 13, wherein one or more servers download the optimum set of options for an environment similar to the associated environment.

15. A system, comprising:


a network environment; and

a server communicatively coupled to the network environment via a network interface and including:

an option negotiation component to select one or more options for a communication protocol, receive rewards as performance feedback associated with the selection of the one or more options, and adjust the selection of the one or more options based on the rewards; and

a file transfer component to transfer a file utilizing an optimum set of the one or more options selected by the option negotiation component based on the rewards and adjusted selections.

16. The system of claim 15, wherein the option negotiation component applies a reinforcement learning algorithm that determines the one or more options to select, the performance feedback for the selection, and the adjustment of the selection.



17. The apparatus of claim 9, wherein the reinforcement algorithm utilizes a Q-learning algorithm.
18. The apparatus of claim 10, wherein the Q-learning algorithm iteratively calculates value functions of an optimal policy for option selection by the option negotiation component.
19. The system of claim 15, wherein the server is a trivial file transfer protocol (TFTP) server.
20. The system of claim 15, wherein the option negotiation component uploads an optimum set of options based on the different trials and rewards and observed configurations of the environment associated with the optimum set of options to a centralized place.



ABSTRACT

In one embodiment, a method for optimization of network protocol options with reinforcement learning and propagation is disclosed. The method comprises: interacting, by a learning component of a server of a network, with one or more clients and an environment of the network; conducting, by the learning component, different trials of one or more options in different states for network communication via a protocol of the network; receiving, by the learning component, performance feedback for the different trials as rewards; and utilizing, by the learning component, the different trials and associated resulting rewards to improve a decision-making policy associated with the server for negotiation of the one or more options. Other embodiments are also described.



100




FIG. 1


200

FIG. 2



3/5





FIG. 3

300

400

**FIG. 4**




FIG. 5